

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Reference number: SDST8b Issue date: 31/03/2021 Revision date: 31/03/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name SPS Easytop extra mat 3500226190102 Product code Product group : Wallpaint.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use, Professional use, Industrial use

Use of the substance/mixture : Industrial and decoration painting.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SPS BV (SPS) Zilverenberg, 16

P.O. Box 39 5201 AA 's-Hertogenbosch NL- 5234 GM 's-Hertogenbosch

Nederland

Supplier

T +31 (0)73 642 27 10 - F +31 (0)73 642 60 95

info@spsbv.com - www.spsbv.com

Responsible formatting SDS

Mantech Nederland B.V.

Kobaltweg, 7 P.O. Box 39

NL- 5234 GN 's-Hertogenbosch

Nederland

T +31 (0)73 70 70 112

info@mantechbv.nl - www.mantechbv.nl

1.4. Emergency telephone number

Emergency number : SPS BV.: +31 (0)73 642 27 10 [7:30 - 16:30]

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction EUH208

mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-

3-one (3:1). May produce an allergic reaction.

Warning! Hazardous respirable droplets may be formed when sprayed. Do EUH211

not breathe spray or mist.

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : Not applicable Hazard statements (CLP) : Not applicable.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, eye protection.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

[Spray application; P261 - Avoid breathing spray.].

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

EUH-statements : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction

mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May

produce an allergic reaction.

EUH210 - Safety data sheet available on request.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not

breathe spray or mist.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Kaolin, calcined substance with national workplace exposure limit(s) (NL)	CAS-No.: 92704-41-1 EC-No.: 293-473-8	2,5 – 10	Not classified
Diatomaceous Earth, Flux-Calcined (Kiezelguhr) (1-10% Cristobalite; cas 14464-46-1) substance with national workplace exposure limit(s) (NL)	CAS-No.: 68855-54-9 EC-No.: 272-489-0	2,5 – 10	STOT RE 2, H373
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	0,005≤ C < 0,05	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1) (Note B)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691- 48	0,00015≤ C < 0,0015	Acute Tox. 2 (Inhalation), H330 (ATE=0,33 mg/l/4h) Acute Tox. 2 (Dermal), H310 (ATE=75 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=59 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	(0,05 ≤C < 100) Skin Sens. 1, H317	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691- 48	(0,0015 ≤C ≤ 100) Skin Sens. 1A, H317 (0,06 ≤C < 0,6) Eye Irrit. 2, H319 (0,06 ≤C < 0,6) Skin Irrit. 2, H315 (0,6 ≤C ≤ 100) Eye Dam. 1, H318 (0,6 ≤C ≤ 100) Skin Corr. 1C, H314	

Comments : This mixture contains ≥ 1% titanium dioxide (CAS 13463-67-7). The Annex VI classification of Titanium dioxide does not apply to this mixture according to its Note 10

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.
First-aid measures after inhalation	: Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth.
First-aid measures after skin contact	 Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
First-aid measures after eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart and seek medical advice.
First-aid measures after ingestion	: If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No information is on file to date regarding acute and/or delayed post-exposure symptoms and effects.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : An impenetrable black smoke is produced in the event of a fire. Exposure to decomposition

products may cause a health hazard. Appropriate breathing apparatus may be required.

5.3. Advice for firefighters

Precautionary measures fire : Cool closed containers exposed to fire with water.

Other information : Do not allow run-off from fire fighting to enter drains or water courses.

31/03/2021 (Revision date) EN (English) 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Do not smoke. Ventilate area. Do not breathe vapours.

6.1.2. For emergency responders

Protective equipment : Equip rescue crew with proper protection.

Emergency procedures : No smoking. Ventilate area. Do not breathe vapours.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth,

vermiculite, diatomaceous earth and place in container for disposal according to local

regulations (see section 13).

Other information : Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep container tightly closed. Avoid contact with skin and eyes. Avoid inhalation of vapour

and spray mist. Never use pressure to empty: container is not a pressure vessel. Always keep in containers of same material as the original one. For personal protection see Section

8. Comply with the health and safety at work laws.

Hygiene measures : Smoking, eating and drinking should be prohibited in application area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in accordance with local/national regulations.

Storage temperature : 5 - 30 °C Store in a dry, well ventilated place away from sources of heat, ignition and direct

sunlight

Information on mixed storage : Store separately from oxidising agents and strongly alkaline and strongly acidic materials.

Storage area : Prevent unauthorised access.

Special rules on packaging : Containers which are opened must be carefully resealed and kept upright to prevent

leakage.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

31/03/2021 (Revision date) EN (English) 4/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn

8.2.2. Personal protection equipment

Personal protective equipment:

Protective goggles. Gloves.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Use safety eyewear designed to protect against splash of liquids.

8.2.2.2. Skin protection

Skin and body protection:

Cotton or cotton/synthetic overalls or coveralls are normally suitable. Every part of the skin which had contact with the product should have been washed thoroughly. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods. Recommended: Wear overalls or long sleeved shirt. (EN 1149-1)

Hand protection:

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. For prolonged contact, use rubber or neoprene gloves. The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.

8.2.2.3. Respiratory protection

Respiratory protection:

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: organic vapour (Type A) and particulate filter (EN 140).

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour: Different colours.Odour: Characteristic.Odour threshold: No data available

pH : 8 – 9 (ISO 19396-1:2017)

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : 0 °C Water

Boiling point : 100 °C Water

Flash point : Not relevant/applicable due to nature of the product.

Auto-ignition temperature : Not relevant/applicable due to nature of the product.

Decomposition temperature : When exposed to heat, may decompose liberating hazardous gases

Flammability (solid, gas) : The product is not flammable

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

Density : ≈ 1,48 g/cm³ Calculated value (ISO 2811-1:2016)

Solubility : Miscible with water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Partition coefficient n-octanol/water (Log Kow) : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : 60 – 65 P @ 20 °C (Brookfield Sp. 6/50 r.p.m.)

Explosive properties : No dangerous reactions known.

Oxidising properties : No data available. Explosive limits : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under recommended storage and handling conditions (see section 7).

10.3. Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4. Conditions to avoid

When exposed to high temperatures may produce hazardous decomposition products.

10.5. Incompatible materials

See Heading 7.

10.6. Hazardous decomposition products

Such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified

31/03/2021 (Revision date) EN (English) 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

: Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation)

Acute toxicity (ilinalation)	Not classified		
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)			
LD50 oral	1020 mg/kg bodyweight		
LD50 dermal	4115 mg/kg bodyweight		
LC50 Inhalation - Rat (Dust/Mist)	100 mg/l		
reaction mass of 5-chloro-2-methyl-2H-isothi	azol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
LD50 oral rat	59 – 64 mg/kg bodyweight		
LD50 oral	59 mg/kg bodyweight		
LD50 dermal rabbit	75 – 87,12 mg/kg bodyweight		
LD50 dermal	> 75 mg/kg bodyweight		
LC50 Inhalation - Rat (Dust/Mist)	0,33 mg/l/4h		
Kaolin, calcined (92704-41-1)			
LD50 oral rat	> 5000 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg bodyweight		
LC50 Inhalation - Rat	> 2,19 mg/l		
Skin corrosion/irritation :	Not classified		
Serious eye damage/irritation :	pH: 8 – 9 (ISO 19396-1:2017) Not classified pH: 8 – 9 (ISO 19396-1:2017)		
Respiratory or skin sensitisation :	Not classified		
Germ cell mutagenicity :	Not classified		
Carcinogenicity :	Not classified.		
Reproductive toxicity :	Not classified		
STOT-single exposure :	Not classified		
STOT-repeated exposure :	Not classified		
Diatomaceous Earth, Flux-Calcined (Kiezelguhr) (1-10% Cristobalite; cas 14464-46-1) (68855-54-9)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard :	Not classified		

SECTION 12: Ecological information

Potential adverse human health effects and

12.1. Toxicity

symptoms

Ecology - general : The mixture has been assessed following the conventional method of the Regulation (EC)

dermal routes of exposure and eye contact.

No. 1272/2008 [CLP] and is not classified as dangerous for the environment, but contains

This takes into account, where known, delayed and immediate effects and also chronic

effects of components from short-term and long-term exposure by oral, inhalation and

substance(s) dangerous for the environment. See Heading 3.

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

: Not classified

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)			
LC50 - Fish [1] 2,18 mg/l			
EC50 - Crustacea [1] 2,94 mg/l			
EC50 - Other aquatic organisms [1] 2,94 mg/l waterflea			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)			
EC50 - Other aquatic organisms [2]	0,11 mg/l		
EC50 72h - Algae [1]	0,11 mg/l		
ErC50 algae	0,11 mg/l [Selenastrum capricornutum, 72h]		
NOEC (chronic)	1,2 mg/l		
NOEC chronic fish	0,21 mg/l		
NOEC chronic crustacea	1,7 mg/l		
NOEC chronic algae	0,04 mg/l		
reaction mass of 5-chloro-2-methyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
LC50 - Fish [1]	0,22 mg/l		
EC50 - Crustacea [1]	0,12 (0,1 – 0,16) mg/l		
EC50 - Other aquatic organisms [1]	0,126 mg/l waterflea		
EC50 - Other aquatic organisms [2]	0,003 mg/l		
EC50 72h - Algae [1]	0,048 mg/l		
ErC50 algae	0,0375 (0,027 – 0,048) mg/l pseudokirchneriella subcapitata		
NOEC chronic fish	(Oncorhynchus mykiss); 28 d		
NOEC chronic crustacea	doorstroomtest, 21 d		
Kaolin, calcined (92704-41-1)			
LC50 - Fish [1]	> 1000 mg/l (Oncorhynchus mykiss)		
EC50 - Crustacea [1]	> 700 mg/l		
ErC50 algae	> 1000 mg/l		

12.2. Persistence and degradability

SPS Easytop extra mat			
Persistence and degradability There are no data available on the preparation itself.			
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)			
Biodegradation > 80 %			
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)			
Biodegradation > 60 % 10 days			

12.3. Bioaccumulative potential

SPS Easytop extra mat			
Partition coefficient n-octanol/water (Log Pow)	No data available		
Partition coefficient n-octanol/water (Log Kow)	No data available		
Bioaccumulative potential There are no data available on the preparation itself.			
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)			
BCF - Fish [1] 6,95 (OECD 305)			
Partition coefficient n-octanol/water (Log Pow) 0,7			
Partition coefficient n-octanol/water (Log Kow)	0,7 (OECD 117)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Bioconcentration factor (BCF REACH) 3,16		
Partition coefficient n-octanol/water (Log Pow) 0,4		
Partition coefficient n-octanol/water (Log Kow)	≤ 0,71	

12.4. Mobility in soil

SPS Easytop extra mat		
Ecology - soil	There are no data available on the preparation itself.	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc) 28 (0 – 50)		

12.5. Results of PBT and vPvB assessment

SPS Easytop extra mat

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Product may not flow into sewer or superficial water

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

Product/Packaging disposal recommendations

Additional information

European List of Waste (LoW) code

- Do not allow to enter drains or water courses.
- Dispose of this material and its container to hazardous or special waste collection point.
- Uncleaned packaging: Recommendation: Not completely empty packaging must been treated complying Directive 91/689/EEC.
- 08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS),

ADHESIVES, SEALANTS AND PRINTING INKS

08 01 12 - waste paint and varnish other than those mentioned in 08 01 11

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number	14.1. UN number					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.2. UN proper shippin	14.2. UN proper shipping name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard class(es)						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.4. Packing group						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

ADR	IMDG	IATA	ADN	RID	
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available					

14.6. Special precautions for user

Special transport precautions

: Transport within user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code: Not determined.Ship type: Not determined.Pollution category: Not determined.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

DIRECTIVE 2004/42/EC on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products:

EU limit value for SPS Easytop extra mat (cat. A/a): 30 g/l.

SPS Easytop extra mat Contains max 5,00 g/l VOC.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 16: Other information

Full text of H- and EUH-statements:				
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2			
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2			
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1			
EUH071	Corrosive to the respiratory tract.			
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.			
EUH210	Safety data sheet available on request.			
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
H301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H310	Fatal in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H330	Fatal if inhaled.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
Skin Sens. 1A	Skin sensitisation, category 1A			
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
EUH208	EUH208	Calculation method	
EUH211	EUH211	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.